


Hard-to-Find Connectivity and Technology Parts

# Product Guide & Catalog



Computer Parts  
Server Management  
A/V Solutions  
Cables & Accessories



## Making hard-to-find easy!

### StarTech.com Advantage #1 Your One Stop Source for Hard-to-find Parts

With over 2000 products in 43 product lines, you'll save time and money by sourcing all your connectivity and technology parts from one convenient vendor.

### StarTech.com Advantage #2 Free Phone, Email and Online Chat Support

Free and fast support from our North American-based team of technology specialists takes the worry out of completing your solutions. Email responses in two hours-guaranteed!

### StarTech.com Advantage #3 Informative, User-Friendly Web Site

Our award-winning web site offers features, specifications, photos and exclusive tools and resources that make it easy to find and source products quickly.

## Excite customers. Succeed. Have fun!

Exceeding your expectations is top priority at StarTech.com. That's why we developed our winning statement: "Excite customers. Succeed. Have fun!" We know we are winning as a business when we are making our winning statement happen.

We firmly believe that going the extra mile to provide you with exceptional service and ensuring we always have the hard-to-find parts you need, translates into success for both you and us. We also think it's important to have a little fun at the same time (do you have your USB Missile Launcher yet?)

From our award-winning web site that allows you to easily find and source the products you need to our world class service and support that provides you with free, immediate access to our technology specialists by phone, email or online chat, we're always working to make your job easier.

One of our knowledgeable representatives is looking forward to help you complete your next solution. So give us a call at 1-800-265-1844 or visit us online at [www.startech.com](http://www.startech.com) today to and you'll see how StarTech.com truly makes hard-to-find easy.

**Paul Seed**  
Owner & President

**Ken Kalopsis**  
Owner & Vice President

### We're here to help!

Contact the StarTech.com team for immediate answers to your questions.



### Three Convenient Support Options



#### Phone Support

Speak with one of our friendly customer service or technical support representatives.  
**1-800-265-1844**



#### Email Support

Get an answer from our expert staff within 2 hours, Monday to Friday.  
**[sales@startech.com](mailto:sales@startech.com)**



#### Chat Online

Get real-time support from one of our knowledgeable technical or customer support professionals via chat!  
**[www.startech.com](http://www.startech.com)**

New

### Looking for more detailed product information, such as specifications, certifications and photos?

#### Visit our website for:

- Detailed product information including features, applications, certifications, etc.
- Technical specifications, such as product dimensions, weights and much more...
- Quality photographs of every product
- Exclusive online tools and downloadable reference material
- Check inventory levels, find distributors and place orders online



All the information you need is available 24/7 at **[www.startech.com](http://www.startech.com)**

### Distributed by:

**INGRAM  
MICRO**



**Tech Data**

**SYNNEX  
CORPORATION**

### Testimonial

“We require our partners to rise to our challenges with new ideas and innovative products. StarTech.com responded to our needs and provided quality products and professional services allowing us to maximize our opportunities with our core product offerings.”

Gareth McClean  
Director of R&D  
American Dynamics

## Table of Contents

### Computer Parts

Hard-to-find Parts	Page 3
I/O Cards	Page 4-6
Fans and Cooling	Page 7
External Drive Enclosures	Page 8
Removable Drive Enclosures	Page 9
Power Supplies	Page 10-11
Drive Cases	Page 11
USB Products	Page 12
Networking	Page 13

### Cables & Accessories

Audio / Video	Page 14
USB & FireWire	Page 15
Patch Cables	Page 16
Fiber Optic	Page 17
Internal Cables	Page 18
Custom Cables	Page 19

### A/V Solutions

Digital Signage Solutions	Page 20
Extenders	Page 21
Converters	Page 22
Spitters and Switches	Page 23

### Server Management

Remote IP Products	Page 25
LCD Rack Consoles	Page 26
Enterprise KVM Switches	Page 27
Desktop KVM Switches	Page 28
Server Racks	Page 29



Many of our products are RoHS compliant. See our website or contact us for details.






# StarTech.com Computer Parts

## Making hard-to-find easy!

Finding the right part to complete your solutions can be frustrating and time-consuming. StarTech.com makes your job easier by helping you quickly identify the parts you need and delivering them where and when you need them.

### Desktop PC Solutions




### Notebook Solutions



**USB 2.0 to VGA Display Adapter**  
USB2VGA2  
An excellent, lightweight solution that will allow you easy access for adding an extra monitor



**CardBus to ExpressCard Adapter**  
CB2EC  
You can use this adapter to connect all of your existing CardBus cards without the hassle or expense of having to replace them



**SATA 15 Pin Power Adapter to LP4 M/F**  
LP4SATAFM  
Compatible with all IDE hard drives and easy to install



**PCI Express to Four Slot PCI Expansion Bay**  
PEX2PCI4  
Specially designed to convert a single PCI Express slot into four additional PCI slots



**10Ft DisplayPort Cable with Latches**  
DISPLPORT10L  
DisplayPort offers full digital audio support (up to eight channels) in the same cable as video



**DVI 1 to 2 Splitter Cable**  
DVISPL1DD  
This DVI-D splitter cable makes things easy with being able to instantly connect 2 DVI-D displays to a single digital DVI source



**Wi-Fi Detective: Wi-Fi Finder with LCD Display**  
WIFIDETG  
Displays detailed information about wireless network connections available in the surrounding area



**Black Internal 5.25 Inch Bay Speakers**  
SPEAKERINTB  
The perfect solution for companies who want multimedia capabilities for their PCs without the clutter of external satellite speakers

#### Popular Hard-to-Find Parts

Description	Part Number
Screws for Case Fan Mounting (Pkg. of 50)	FANSCREW
1-1/4" Dia. Self-Adhesive Rubber Feet for PC Cases (4/pkg)	RUBBERFEET
7 Pc. Precision Screwdriver Kit	CTK100P
Screws M3 x 1/4" long (Pkg. of 50)	SCREWM3
Screws #6-32 x 4mm long (Pkg. of 50)	SCREW6_32_3
Screws #6-32 x 1/4" long (Pkg. of 50)	SCREW6_32
P.C. Tool Kit	CTK200
ATX Case Front Bezel Wire Kit	BEZELWRKIT
Assortment of screws, nuts and standoffs	PCSCREWKIT
2.54mm Standard Jumper Caps (Pkg. of 100)	JUMPER254



Professional USB to RS-232 Serial Adapter ICUSB2321X



2 Port 16550 Serial PCI Card PCI2S550



Dual Profile 4 Port RS-232 Powered 16650 Serial PCI Card PCI1S650PW



2 Port 16550 PCI Express Serial Card PEX2S550



2 Port RS-232 Serial Ethernet IP Adapter (Device Server, Console Server) NETRS232\_2



1 Port EPP/ECF Parallel PCI-E Card PEX1PECP

USB to Serial

# of Ports	Bus	Type	Part Number
1 USB, 1 Serial	USB	RS-232	ICUSB2321X
1 USB, 1 Serial	USB	RS-232	ICUSB232PRO

Serial

# of Ports	Bus	Type	Data Rate	Notes	Part Number
PCI, ISA and CardBus					
1 Port	PCI	16550 Serial	115.2 Kbits/sec	-	PCI1S550
2 Port	PCI	16550 Serial	115.2 Kbits/sec	-	PCI2S550
4 Port	PCI	16550 Serial	115.2 Kbits/sec	-	PCI4S550
4 Port	PCI	16550 Serial	115.2 Kbits/sec	Value Card	PCI4S550N
1 Port	PCI	16550 Serial	115.2 Kbits/sec	10 Pack	10PKPCI1S550
2 Port	PCI	16550 Serial	115.2 Kbits/sec	10 Pack	10PKPCI2S550
2 Port	PCI	16550 Serial	115.2 Kbits/sec	Low Profile	PCI1S550_LP
2 Port	PCI	16550 Serial	115.2 Kbits/sec	Low Profile	PCI2S550_LP
1 Port	ISA	16550 Serial	115.2 Kbits/sec	-	ISA1S550
2 Port	ISA	16550 Serial	115.2 Kbits/sec	-	ISA2S550
2 Port	PCI	16950 Serial UART	115.2 Kbits/sec	-	PCI2S950
4 Port	PCI	16950 Serial UART	115.2 Kbits/sec	-	PCI4S950
2 Port	PCI	RS-422/RS-485	921.6 Kbits/sec	-	PCI2S422DB9
4 Port	PCI	RS-422/RS-485	921.6 Kbits/sec	-	PCI4S422DB9
2 Port	PCI	RS-422/RS-485	921.6 Kbits/sec	Optically Isolated	PCI2S422ISO
4 Port	PCI	RS-422/RS-485	921.6 Kbits/sec	Optically Isolated	PCI4S422ISO
2 Port	Cardbus	RS-422/RS-485	115.2 Kbits/sec	-	CB2S485
2 Port	Cardbus	RS-232	921.6 Kbits/sec	-	CB2S650
3.3/5.0 V Compatible					
1 Port	PCI	16950 Serial	420 Kbits/sec	3.3/5.0V	PCI1S950DV
2 Port	PCI	16950 Serial	420 Kbits/sec	3.3/5.0V	PCI2S950DV
2 Port	PCI	16550 Serial	115.2 Kbits/sec	3.3/5.0V compatible	PCI2S5503V
1 Port	PCI	16650 Serial	920 Kbits/sec	Powered Card	PCI1S650PW
2 Port	PCI	16650 Serial	920 Kbits/sec	Powered Card	PCI2S650PW
4 Port	PCI	16550 Serial	115.2 Kbits/sec	Powered Card	PCI4S550PW
4 Port	PCI	16650 Serial	920 Kbits/sec	3.3/5.0V, WHQL	PCI1S650DV
2 Port	PCI	16650 Serial	920 Kbits/sec	3.3/5.0V, WHQL	PCI2S650DV
4 Port	PCI	16650 Serial	920 Kbits/sec	3.3/5.0V, WHQL	PCI4S650DV
8 Port	PCI	16650 Serial	920 Kbits/sec	3.3/5.0V, WHQL	PCI8S650DV
2 Port	PCI Low Profile	16650 Serial	920 Kbits/sec	Low Profile, WHQL	PCI2S650DVLP
4 Port	PCI	16950 Serial	921.6 Kbits/sec	3.3/5.0V	PCI4S9503V
8 Port	PCI	16950 Serial	921.6 Kbits/sec	3.3/5.0V	PCI8S9503V
PCI Express					
1 Port	PCI Express	16550 Serial	230.4 Kbits/sec	-	PEX1S550
2 Port	PCI Express	16550 Serial	230.4 Kbits/sec	-	PEX2S550
2 Port	PCI Express	16650 Serial	920 Kbits/sec	WHQL	PEX2S650
4 Port	PCI Express	16650 Serial	920 Kbits/sec	WHQL	PEX4S650
Serial Over IP					
1 Port	Serial Ethernet Adapter	RS-232	115.2 Kbits/sec	-	NETRS232_1
2 Port	Serial Ethernet Adapter	RS-232	115.2 Kbits/sec	-	NETRS232_2
4 Port	Serial Ethernet Adapter	RS-232	115.2 Kbits/sec	-	NETRS232_4

Parallel

# of Ports	Bus	Type	Data Rate	Features	Part Number
1 Port	PCI	EPP/ECF Parallel	1.5 Mbps	-	PCI1PECP
2 Port	PCI	EPP/ECF Parallel	1.5 Mbps	-	PCI2PECP
1 Port	PCI	EPP/ECF Parallel	1.5 Mbps	Low Profile	PCI1P_LP
1 Port	PCI	EPP/ECF Parallel	1.5 Mbps	-	PCI1P
1 Port	ISA	EPP/ECF Parallel	1.5 Mbps	-	ISA1P
1 Port	PCI Express	EPP/ECF Parallel	1.5 Mbps	-	PEX1PECP
2 Port	PCI Express	EPP/ECF Parallel	1.5 Mbps	-	PEX2PECP
1 Port	PCI	EPP/ECF Parallel	1.5 Mbps	3.3/5.0V	PCI1PECPDV

Added functionality, increased productivity

Wide Selection

Quickly find the right card for any application, to optimize system performance.

Functionality

StarTech.com I/O cards can help you add new capabilities to your systems, helping to maximize productivity.



4 Port USB 2.0 PCI Express Card PEX400USB2



4Port IEEE-1394 FireWire PCI Card with Digital Video Editing Kit PCI1394\_4



2 Port 16C550 Serial and 1 Port EPP/ECF Parallel Slot Saver PCI Card PCI2S1P



4 Port Serial ATA RAID 0,1 PCI Card PCISATA4R1



2 Port SATA II and 2 Port IDE PCI Express Controller Card PEXSAT2IDE2

USB

# of Ports	Bus	Type	Data Rate	Notes	Part Number
2 Ports	PCI	USB 2.0	480Mbps	-	PCI220USB
2 Ports	PCI Low Profile	USB 2.0	480Mbps	-	PCI220USBLP
4 Ports	PCI	USB 2.0	480Mbps	-	PCI420USB
6 Ports	PCI	USB 2.0	480Mbps	Two Internal	PCI625USB2I
3 Ports	PCI	USB 2.0	480Mbps	-	PCI330USB2
4 Ports	PCI Express	USB 2.0	480Mbps	-	PEX400USB2
2 Ports	Cardbus	USB 2.0	480Mbps	-	CBUSB220
3 Ports	Cardbus	USB 2.0	480Mbps	-	CB330USB2
4 Ports	Cardbus	USB 2.0	480Mbps	-	CB420USB
2 Ports	Express Card	USB 2.0	480Mbps	-	EC230USB

FireWire

# of Ports	Bus	Type	Data Rate	Notes	Part Number
2 Ports	PCI	FireWire	400Mbps	Digital Video Kit Included	PCI1394_2
3 Ports	PCI	FireWire 800	800Mbps	Digital Video Kit Included	PCI1394B_3
2 Ports	PCI	FireWire	400Mbps	Digital Video Kit Included	PCI1394_2LP
4 Ports	PCI	FireWire	400Mbps	Digital Video Kit Included	PCI1394_4
3 Ports	PCI	FireWire	400Mbps	Digital Video Kit Included	PCI1394MP
3 Ports	Cardbus	FireWire	400Mbps	Digital Video Kit Included	CB1394
2 Ports	Cardbus	FireWire	400Mbps	Digital Video Kit Included	CB1394_2
3 Ports	Cardbus	FireWire 800	800Mbps	-	CB1394B3
2 Ports	Express Card	FireWire	400Mbps	-	EC13942
2 Ports	Express Card	FireWire 800	800Mbps	-	EC1394B2
2 Ports	PCI Express	FireWire	400Mbps	-	PEX1394A2
3 Ports	PCI Express	FireWire	400Mbps	-	PEX13943
3 Ports	PCI Express	FireWire	800Mbps	-	PEX1394B3

Combo

# of Ports	Bus	Type	Data Rate	Part Number
2 Serial, 1 ECP/EPP Parallel	PCI	Combo	115Kbps, 1.5Mbps	PCI2S1P
3 USB, 2 FireWire	PCI	Combo	480Mbps, 400Mbps	PCI3UV22F
2 USB, 3 FireWire 800	PCI Express	Combo	480Mbps, 800Mbps	PEX3U3F800
2 Serial, 1 Parallel	PCI Express	Combo	230.4Kbps, 1.5Mbps	PEX2S1P
1 Serial, 1 Parallel	PCI 3.3/5.0V	Combo	920Kbps, 1.5Mbps	PCI2S1PDV
2 Serial, 1 Parallel	PCI 3.3/5.0V	Combo	920Kbps, 1.5Mbps	PCI2S1PDVLP

Serial ATA

# of Ports	Bus	Type	Data Rate	Part Number
4 Port RAID 0,1	PCI	Serial ATA	150 Mbps	PCISATA4R1
2 Port SATA	PCI Express	Serial ATA	300 Mbps	PEXSATA22I
1 Internal, 1 External	PCI Express	eSATA	300 Mbps	PEXESATA2I
1 SATA, 1 IDE	SATA	SATA	-	SATA2ATA133
2 Port	PCI Express	eSATA	300 Mbps	PEXESATA2

IDE

# of Ports	Bus	Type	Data Rate	Part Number
Dual Channel	PCI	Ultra ATA/133 IDE	133 Mbps	PCI2IDE133
Dual Channel	PCI	Ultra ATA/133 IDE	133 Mbps	PCIIDE100R
1 IDE	PCI Express	IDE	133 Mbps	PEX2IDE
2 SATA, 2 IDE	PCI Express	SATA/IDE	300 Mbps	PEXSAT2IDE2
2 SATA, 1 IDE	PCI	SATA/IDE	150 Mbps	PCISAT2IDE1
2 IDE	PCI	ATA/IDE	133 Mbps	PCIIDE2
2 SATA, 1 IDE	PCI	SATA/IDE	133 Mbps	PATA2SATA

For more products & detailed information visit [www.startech.com/iocards](http://www.startech.com/iocards)



Notebook

# of Ports	Bus	Type	Data Rate	Part Number
2 Port	CardBus	eSATA	150 Mbps	CBESATA2
1 Port	CardBus	Parallel	1.5 Mbps	CB1PECP
1 Port	Express Card	CardBus	-	CB2EC
1 CardBus/PCMCIA	PCI 3.3/5.0 V	Combo	-	PCI2PCMCIA1
2 CardBus/PCMCIA	PCI 3.3/5.0 V	Combo	-	PCI2PCMCIA2
1 Port	PCI Express	CardBus	-	PCI2PCMCIA1E
4 Port	Express Card	USB	480 Mbps	EC400USB
2 Port	Express Card	USB	480 Mbps	EC230USB
1 Port	Express Card	Parallel	1.5 Mbps	EC1PECP
2 Port	Express Card	eSATA	300 Mbps	ECESATA22
2 Port	PCI Express	Combo	-	PEX2EC
1 ExpressCard 34/54	PCI Express	Combo	-	PEX2ECDP

Compact Flash

# of Ports	Bus	Type	Data Rate	Part Number
1 IDE, 2 Compact Flash	IDE	Compact Flash	-	IDE442CF
1 IDE, 1 Compact Flash	IDE	Compact Flash	-	IDE441CF
1 SATA, 2 Compact Flash	SATA	Compact Flash	-	SAT2CF
1 IDE	IDE	Compact Flash	-	PLATEIDE2CF
1 IDE	IDE	Compact Flash	-	IDE2CFINT

Video Cards

# of Ports	Bus	Type	Part Number
1 DVI, 1 DB15, 1 S-Video	AGP 8X - AGP 3.0 4X/8X, AGP 2.0, 2X/4X	GeForce FX 5500	AGPVID5500A
1 DVI, 1 DB15, 1 S-Video	PCI Express	GeForce 7200GS	PEXVID7200A

Sound Cards

# of Ports	Bus	Type	Part Number
1 Port	PCI	4 Channel	PCISOUND4CH
1 Port	PCI	5.1 Channel	PCISOUND5CH

Other Cards

# of Ports	Bus	Type	Part Number
4 Slot PCI Expansion Bay	PCI-E	PCI-E to 4 Slot PCI	PEX2PCI4

SCSI

# of Devices	Bus	Type	Data Rate	Part Number
Up to 15	PCI	Ultra Wide SCSI	40 Mbyte/sec.	PCISCSIUW

Cooling solutions

Reliable

We provide a reliable foundation for any replacement, upgrade or system build.

Versatile

Our cooling solutions are designed to suit virtually any system configuration.

CPU Fans

Types	Suited For	Fan Type	Material	Part Number
Socket T/775	Core 2 Duo Quad Processor	95mm/BB	Aluminum	FAN775E
AMD/Intel/Socket T/ 775	1U Dual Core & High Speed P4	70mm/DBB	Copper	FAN7751U
Socket T/775	P4 up to 3.8 GHz	92mm/BB	Aluminum	FAN775
AMD/Universal	K8 family, Socket AM2/939/940/754	92mm/BB	Aluminum	FANK8AM2
AMD/Opteron	1U Opteron Socket 939/940, incl. dual core, plus K8	70mm/BB	Copper	FANOPT1U
Universal Intel P4/AMD	P3 (370), P4 (478) to 3.2 GHz, K7/K8 (A/939/940/754)	70mm/BB	Aluminum	UNIVERSALHSF
Universal/Socket AM2	3 HP, P3, P4, Dual Core, (478/775) K7/K8 (754,939,940,AM2)	92mm/BB	Aluminum	FAN939775HP
Socket 478	P4 up to 2.8 GHz	60mm/BB	Aluminum	FAN478
Socket 423	P4 up to2GHz	60mm/BB	Aluminum	FANP4
Socket 7/370	K-6 to 500 MHz (socket 7) and P3/Celeron (socket 370)	50mm/BB	Aluminum	FANP1003LD
Socket 7/370	P3, Celeron up to 1.4GHz, AMD K6	60mm/BB	Aluminum	FAN370PRO
Socket 7/370	1U Server Design, P3/Celeron & Athlon/Duron to 1GHZ	60mm/BB	Copper	FAN3701U
Socket A, Socket 370	Athlon XP	60mm/BB	Aluminum	FANATHLON
Socket A, Socket 370	Duron, Thunderbird, to 1300 MHz & XP to 2000 MHz	60mm/BB	Aluminum	FANDURONTB
SECC2	PII/PIII	50mm/BB	Aluminum	FANP2SECC
VGA Card	Chipsets, Video Cards - nVIDIA and ATI	40mm/BB	Copper	FANUNIVGA

Retail-Ready

Notebook Cooler

Types	Features	Fan Type	Color	Part Number
Two 80mm Fans	Ultra light, quiet 19 dBa noise level, up to 15"	Plastic	Black	NBCOOLERLE
Four 60mm Fans	Portable, lightweight design variable speed, up to 15"	Plastic	Black	NBCOOLER
Fanless	Durable aluminum heatsink, ergonomic design, up to 17"	Aluminum	Black	NBCOOLER17
Two 70mm Fans	Combined cooler, plus card reader and USB hub, up to 15"	Aluminum	Silver	NBCOOLERPRO
Fan	Air extracting notebook fan with 2 speed control, 180° rotatable	Plastic	Black	NBFAN

Retail-Ready

Cases / Other Fans

Types	Suited For	Fan Type	Connector	Part Number
Case	40 x 40 x 10mm	Dual Ball Bearing	LP4	FAN4X1LP4
Case	50x50x10mm	Dual Ball Bearing	LP4/TX3	FAN5X1TX3
Case	50x50x15mm	Dual Ball Bearing	TX3	FAN5X15TX3
Case	60x60x10mm	Dual Ball Bearing	TX3	FAN6X1TX3
Case	70x70x15mm	Dual Ball Bearing	TX3	FAN7X15TX3
Case	80x80x25mm	Dual Ball Bearing	TX3	FAN8X25TX3L
Case	80x80x25mm	Ever Lubricate Bearing	LP4	FANBOXSL
Case	92x92x25mm	Ball Bearing	LP4	FANBOX92
Case	120x120x25mm	Ball Bearing	LP4	FANBOX12
Exhaust Video Card	110x90x20mm	Ball Bearing	LP4	FANCASE
Hard Drive	40x40x20mm	Ball Bearing	LP4	FANDRIVEBK
DDR/SDRAM	126x27x7mm	Aluminum	N/A	RAMCOOLERBL

Retail-Ready

For more products & detailed information visit [www.startech.com/fans](http://www.startech.com/fans)

Versatile drive enclosures

**Innovative**  
Turn hard drives into dynamic storage options while adding innovative capabilities.

**Sturdy**  
Designed and built to last, our external hard drive enclosures are able to withstand virtually any environment.

**Dependable**  
Constructed from high quality materials and designed to offer a durable, secure way to store valuable data.



In The News

StarTech.com makes it easy to build custom portable hard drives that are perfect for transporting and safekeeping large files

CRN



InfoSafe 3.5" USB 2.0 SATA HDD Enclosure SAT3510U2B



InfoSafe USB 2.0 Dual 3.5" SATA Drive Enclosure with RAID SAT3520U2R



USB 2.0 to 2.5/3.5" SATA HDD Docking Station SATHDDDOCKU2


External Drive Enclosures

Drive Type	Drive Size	Connection	Construction	Color	Features	Part Number
IDE	1.8"	USB 2.0	Aluminum	Silver	Low / Zero Insertion Force	IDE1810U2Z
IDE	2.5"	USB 2.0	Aluminum	Silver	Portability	IDE2510U2
IDE	2.5"	USB 2.0	Aluminum	Silver	One-Button Backup	IDECASE25U2B
Serial ATA	2.5"	USB 2.0	Aluminum	Silver	Portability	SAT2510U2
Serial ATA	2.5"	eSATA / USB 2.0	Aluminum	Silver	eSATA 3 Gb/s	SAT2510U2E
Serial ATA	2.5"	USB 2.0	Aluminum	Silver	On-the-Go / SATA HD	SATCASE25OTG
Serial ATA	2.5"	USB 2.0	Aluminum	Silver	Internal / External Storage	SAT2510U2REM
IDE	3.5"	USB 2.0	Aluminum	Silver	One-Button Backup	IDECASE35U2B
IDE	3.5"	USB 2.0 / FW400	Aluminum	Silver	Combo	IDECASE35U2F
Serial ATA	3.5"	eSATA / USB 2.0	Aluminum	Silver	SATA HD, Fan, OTB	SAT3510U2E
Serial ATA	3.5"	USB 2.0	Aluminum	Silver	SATA HD, Fan, OTB	SAT3510U2B
Serial ATA	3.5"	USB 2.0	Aluminum	Silver	SATA HD, Fan	SAT3510U2
Serial ATA	3.5"	USB 2.0	Aluminum	Silver	SATA HD	SATCASE35U2
Serial ATA / IDE	3.5"	USB 2.0	Aluminum	Black	SATA / IDE HD	UNI3510U2
Serial ATA	3.5"	USB 2.0	Aluminum	Char / Black	Dual HD / RAID 0/1	SAT3520U2R
Serial ATA	3.5"	USB 2.0	Aluminum	Black	Dual HD / 2 Port Hub	SATCASE2U2
Serial ATA	3.5"	USB 2.0	Aluminum	Black	Dual HD / RAID 0	SATCASE2U2R
Serial ATA	3.5"	eSATA	Aluminum	Black	Dual HD / 3 Gb/sec	ESATCASE2
Serial ATA	2.5" / 3.5"	eSATA	Aluminum	Black	5 Drives, RAID, 0,1,10	SAT3550ESR
IDE	5.25"	USB 2.0	Aluminum	Silver	HDD / CD / DVD	IDECASE525U2
Serial ATA	5.25"	eSATA / USB 2.0	Aluminum	Silver	SATA DVD / CD / HD/ Blu - Ray	SAT5210U2E
IDE	5.25"	USB 2.0	Aluminum	Black	CD / DVD / DVD-RW Drive Built-in	SLIMDVDRW8U2

Docking Storage

Drive Type	Drive Size	Connection	Construction	Color	Features	Part Number
Serial ATA	2.5" / 3.5"	USB 2.0	Aluminum	Black	Easy connect, No enclosure	SATHDDDOCKU2

Innovative and Versatile External Storage Products



Removable storage solutions

**Versatile**  
We offer a wide range of removable hard drive enclosures to help you find the perfect fit for your mobile storage solutions.

**Convenient**  
Our removable hard drive enclosures provide the compatibility and ease of use required for easy integration into any solution.

**Fast**  
StarTech.com removable drive drawers make swapping hard drives easier and faster than ever before.



SATA

Drive Type	Style	Construction	Color	Features	Extras Available	Part Number
Serial ATA	Value	Plastic	Beige	3Gb/s Transfer	Caddy	DRW110SAT
Serial ATA	Value	Plastic	Black	3Gb/s Transfer	Caddy	DRW110SATBK
Serial ATA	Rugged	Plastic, Aluminum	Black	3Gb/s Transfer	Caddy	DRW113SATBK
Serial ATA	Durable	Aluminum	Beige	3Gb/s Transfer	-	DRW150SAT
Serial ATA	Durable	Aluminum	Black	3Gb/s Transfer	Caddy	DRW150SATBK
Serial ATA	Professional	Aluminum	Black	3Gb/s Transfer	Caddy	DRW115SATBK
Serial ATA	Fast Swap	Aluminum	Black	3Gb/s Trayless	-	HSB100SATBK

Retail-Ready

SATA Backplanes

Drive Type	Style	Construction	Color	Features	Extras Available	Part Number
Serial ATA	2 Bay	Aluminum	Black	3 Hard Drives	Tray	SATABAY3BK
Serial ATA	3 Bay	Aluminum	Black	4 Hard Drives	Tray	SATABAY4BK
Serial ATA	3 Bay	Aluminum	Black	5 Hard Drives	Tray	SATABAY5BK
Serial ATA	Fast Swap	Aluminum	Black	3 Drive Trayless	-	HSB320SATBK
Serial ATA	Fast Swap	Aluminum	Black	4 Drive Trayless	-	HSB430SATBK
Serial ATA	Dual Purpose	Aluminum	Silver	Internal / External USB	Enclosure	SAT2510U2REM
Serial ATA	Dual Purpose	Aluminum	Silver	Internal / External USB	-	SAT3510U2REM

IDE

Drive Type	Style	Construction	Color	Features	Extras Available	Part Number
IDE ATA 133	Value	Plastic	Beige	Shock Absorbers	Caddy	DRW110ATA
IDE ATA 133	Value	Plastic	Black	Shock Absorbers	Caddy	DRW110ATABK
IDE ATA 133	Rugged	Plastic, Aluminum	Beige	Hot Swap Software	Caddy	DRW113ATA
IDE ATA 133	Rugged	Plastic, Aluminum	Black	Hot Swap Software	Caddy	DRW113ATABK
IDE ATA 133	Durable	Aluminum	Black	Cableless Connector	-	DRW150ATABK
IDE ATA 133	Professional	Aluminum	Beige	Max. Durability	Bay, Caddy	DRW115ATA
IDE ATA 133	Professional	Aluminum	Black	Max. Durability	Bay, Caddy	DRW115ATABK

Retail-Ready

Serial Attached SCSI (SAS)

Drive Type	Style	Construction	Color	Features	Extras Available	Part Number
SAS / SATA	Durable	Aluminum	Black	3 Gb/s Transfer	-	DRW150SASBK
SAS / SATA	Durable	Aluminum	Black	4 x 2.5" HD	-	SATABAY425BK

SCSI

Drive Type	Style	Construction	Color	Features	Extras Available	Part Number
U320 68 Pin	Durable	Aluminum	Beige	2 DBB Fans	-	DRW150SCSI
U320 68 Pin	Durable	Aluminum	Black	2 DBB Fans	Caddy	DRW150SCSIBK
80 Pin SCA	Durable	Aluminum	Beige	2 DBB Fans	-	DRW150SCA
80 Pin SCA	Durable	Aluminum	Black	2 DBB Fans	-	DRW150SCABK

Retail-Ready

For more products & detailed information visit [www.startech.com/drivedrawers](http://www.startech.com/drivedrawers)



Powerful Performance, Lasting Reliability

Wide Selection


A broad range of styles and outputs to suit the requirements of most Intel and AMD based systems.

High Quality

The high quality design of our power supplies ensures a dependable and reliable performance, suitable for a wide range of environments.


Versatility

Our power supplies offer a generous number of component connectors, to enhance configuration options and provide system extensibility.




500 Watt Professional ATX12V 2.01 Power Supply with PCI Express and SATA ATX2PW500PRO

Professional Series						
Wattage	MTBF	Fan	ATX 12V	Mb Support	Other	SKU Number
250	100,000	80 mm Dual Ball Bearing	1.3	20 pin	-	ATXPOW250PRO
300	100,000	80 mm Dual Ball Bearing	1.3	20 pin	-	ATXPOW300PRO
350	100,000	80 mm Dual Ball Bearing	1.3	20 pin	-	ATXPOW350PRO
400	100,000	80 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2PW400PRO
450	100,000	80 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2PW450PRO
500	100,000	80 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2PW500PRO
550	100,000	120 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2PW550PRO



450 Watt ATX12V 2.01 Power Supply with 20 and 24-pin Connectors ATX2POWER450

Reliable Series						
Wattage	MTBF	Fan	ATX 12V	Mb Support	Other	SKU Number
250	100,000	80 mm Sleeve Bearing	1.3	20 pin	-	ATXPOWER250
300	100,000	80 mm Sleeve Bearing	1.3	20 pin	-	ATXPOWER300
350	100,000	80 mm Sleeve Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POWER350
350	100,000	80 mm Sleeve Bearing	2.2	24/20 pin	Dual 12V / SATA / RoHS	ATX2POWR350E
400	100,000	80 mm Sleeve Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POWER400
400	100,000	80 mm Sleeve Bearing	2.2	24/20 pin	Dual 12V / PCI-E / SATA / RoHS	ATX2POWR400E
450	100,000	80 mm Sleeve Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POWER450



300 Watt ATX12V 2.01 Power Supply with 20 and 24-pin Connectors ATXPOW300DELL

Dell Replacements						
Wattage	MTBF	Fan	ATX 12V	Mb Support	Other	SKU Number
300	100,000	80 mm Sleeve Bearing	2.01	20/24 pin	For a complete list of compatible models please visit our website	ATXPOW300DELL
350	100,000	80 mm Sleeve Bearing	2.01	20/24 pin		ATXPOW350DELL
400	100,000	80 mm Sleeve Bearing	2.01	20/24 pin		ATXPOW400DELL

HP / Compaq Replacements						
Wattage	MTBF	Fan	ATX 12V	Mb Support	Other	SKU Number
350	100,000	80 mm Sleeve Bearing	2.2	20/24 pin	Dual 12V / SATA	ATXPW350HPCQ
400	100,000	80 mm Sleeve Bearing	2.2	20/24 pin	Dual 12V / PCI-E / SATA	ATXPW400HPCQ



500 Watt Silent ATX12V 2.01 P4 Power Supply with 12cm Fan ATX2POW500HS



Dual Fan 400 Watt ATX12V PC Power Supply with 20 to 24 ATX PSU Pin Adapter ATXPOW400DF



230 Watt Replacement PS2 Power Supply PS2POWER230



4U Black Rackmount PC Case with 450 Watt P4 Power Supply RMC4450



WattSmart 650W EPS12V Ver 2.91 80 PLUS Power Supply EPSPOW650PRO

Silent						
Wattage	MTBF	Fan	ATX 12V	Mb Support	Other	SKU Number
330	100,000	120 mm Dual Ball Bearing	1.3	20 pin	-	ATXPOW330HS
400	100,000	120 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V/PCI-E/SATA	ATX2POW400HS
450	100,000	120 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POW450HS
500	100,000	120 mm Dual Ball Bearing	2.01	24/20 pin	Dual 12V / PCI-E / SATA	ATX2POW500HS

Retail-Ready

Specialized						
Wattage	MTBF	Fan	ATX 12V	Mb Support	Other	SKU Number
350	100,000	80 mm Ball Bearing	1.3	20 pin	Dual Fans	ATXPOW350DF
400	100,000	80 mm Ball Bearing	1.3	20 pin	Dual Fans	ATXPOW400DF
145	100,000	80 mm Sleeve Bearing	1.3	20 pin	MicroATX	MICATXPOW145
255	100,000	80 mm Sleeve Bearing	1.3	20 pin	MicroATX	MICATXPOW255

Retail-Ready

PS/2				
Wattage	MTBF	Fan	Other	SKU Number
230	40,000	Sleeve Bearing	PS/2 - Style	PS2POWER230

Retail-Ready

Rackmount Cases				
Types	Color	Height	Power Supply	Part Number
Rackmount	Black	4U	450 W	RMC4450
Rackmount	Black	4U	None	RMC4000I
Rackmount	Black	4U	None	RC4034I
Rackmount	Black	4U	None	PC4080S

Retail-Ready

WattSmart 80 Plus					
Wattage	MTBF	Fan	EPS 12V	Other	SKU Number
650	100,000	Two 80 mm Dual Ball Bearing	2.91	QUAD 12V, >80% Eff. SLi Ready, A/PFC, RoHS	EPSPOW650PRO
750	100,000	Two 80 mm Dual Ball Bearing	2.91	QUAD 12V, >80% Eff. SLi Ready, A/PFC, RoHS	EPSPOW750PRO
850	100,000	Two 80 mm Dual Ball Bearing	2.91	QUAD 12V, >80% Eff. SLi Ready, A/PFC, RoHS	EPSPOW850PRO

New!

Save money and energy, without sacrificing performance

EPS12V Ver 2.91 80PLUS Power Supplies


- High-efficiency performance conserves power
- SLi Ready to support advanced NVIDIA® GPU video card performance
- Available in 650, 750 & 850 watt models
- Quad 12V rails provide dedicated voltage outputs & circuitry, ideal to advanced systems and servers with multiple sensitive components
- Designed with Active Power Factor Correction and RoHS compliance, to meet requirements for installations in UK and Europe



WATT SMART

In The News

“StarTech.com has stepped up to the plate with three energy-efficient WattSmart power supplies.”



For more products & detailed information visit [www.startech.com/powersupply](http://www.startech.com/powersupply)

USB connectivity solutions

**Selection**  
Our broad selection of USB and FireWire products allows you to harness the abilities of cutting edge technology, giving you access to more functions and faster data transfers.

**Quality**  
As with any StarTech.com product, we offer only the highest quality of USB device design and construction.

**Reliability**  
StarTech.com USB devices and components are built to provide consistency excellent performance.



Hubs

# of Ports	Bus	Type	Data Rate	Color	Part Number
3 PORT	USB 2.0	Hub	480 Mbps	Black, Silver	ST4205READ
4 PORT	USB 2.0	Hub	480 Mbps	Black	ST4200MINI
4 PORT	USB 2.0	Hub	480 Mbps	Black	ST4200USB
4 PORT	USB 2.0	Hub	480 Mbps	Black, Silver	ST4205USB
6 PORT	USB 2.0	Dock	480 Mbps	Black	ST2700USB
7 PORT	USB 2.0	Hub	480 Mbps	Black/Silver	USB6N1DOCK

Retail-Ready

Card Readers

Interface	Color	Bay or Standalone	Features	CDHC Compatible	Part Number
USB 2.0	Beige	Standalone	-	Yes	FCREADHC
USB 2.0	Black	3.5 Bay	-	Yes	35FCREADBK
USB 2.0	Beige, Gray	3.5 Bay	2 USB 2.0 Ports	No	35FCREADREM
USB 2.0	Black	5.25 Bay	2 USB 2.0 Ports, 1 Firewire, 4 Audio	No	525FCREADBK
USB 2.0	Silver	5.25 Bay	-	No	525FCREADREM
USB 2.0	Silver	Standalone	-	No	FCREADMINI
USB 2.0	Black	Both	-	No	35FCREAD20BK

Retail-Ready

For more products & detailed information visit [www.startech.com/usb](http://www.startech.com/usb)

USB 2.0 to VGA Display Adapters

USB2VGA and USB2VGA2

- Ideal for Internet usage, chatting, and for popular business applications such as Microsoft Office
- Plugs into the host computer system or docking bay in a matter of seconds, quickly helping you get the most out of your PC operating environment
- Support for display resolutions of up to 1600 x 1200 (32-bit) and 1920 x 1200 (16-bit)



USB to DVI Graphics Adapter

USB2DVI

- Provides high quality, multi-display capabilities that can be used in a variety of settings in notebook or desktop applications
- Capable of running up to six separate displays with multiple adapters from one source simultaneously
- Supports resolutions up to 1600x1200 and 1680x1050 @ 32 bits



Build rock solid networks

**Simple Installation**  
StarTech.com networking products are designed for simple set-up and fast deployment, saving valuable time and expense.

**Reliability**  
Our networking products are designed to withstand challenging environments, while operating at peak performance.

**Cost Effective**  
StarTech.com media converters offer cost-saving ways to design your fiber network, by providing compatible, cost effective solutions.



In The News

“A very useful tool to save time and effort when looking for wireless networks while on the road. The Wi-Fi Detective is an economical and compact solution.”

About.com

Ethernet Network Cards

Description	Part Number
10/100-Mbps PCI Ethernet Network Card	ST100S
Low Profile PCI 10/100 Ethernet Card	ST100SLP
10/100-Mbps PCI Ethernet Card with ACPI/Wake Port	ST100SW
10/100 Ethernet + USB 2.0 Slot Saver CardBus Card	CB100LANUSB2
Dongle-less 10/100 PCMCIA CardBus Ethernet Card	UE1205CB
USB 2.0 to 10/100 Ethernet Adapter	USB2105S
10 Pack of ST100S 10/100 PCI Ethernet Cards	10PACK100BT
Gigabit Express Card (10/100/1000 Mbits/sec.)	FC1000BT
10/100/1000 Mbps 32 bit PCI Gigabit Ethernet Card	ST1000BT32
PCI Express 10/100/1000 Mbps Gigabit Ethernet Card	ST1000BTPEX

Retail-Ready



10/100 Ethernet + USB 2.0 Slot Saver CardBus Card  
CB100LANUSB2



4 Port 10/100 Cable/DSL Broadband Router  
BR4100DC



Wi-Fi Detective: Wi-Fi Finder with LCD Display  
WIFIDETG

Routers

Description	Part Number
4 Port 10/100 Cable/DSL Broadband Router	BR4100DC

Wireless

Description	Part Number
802.11g Wireless PCI NIC Adapter	PCI555WG
54 Mbps USB 802.11g Wireless Mini NIC Adapter	USB555WG
802.11g Wireless Cardbus NIC Adapter	CB555WG
Wi-Fi Detective: Wi-Fi Finder with LCD Display	WIFIDETG

Print Servers

Description	Part Number
1 Port Parallel 10/100 Mbps Print Server	PM1115P
1 Port USB 10/100 Mbps Print Server	PM1115U
Multi-function Printer and USB Device Server (10/100 MBPS)	PM1115UMF

Network Hubs & Switches

Description	Part Number
16 Port Desktop 10/100 Fast Ethernet Switch	DS16105
5 Port Mini Desktop 10/100 Ethernet Switch	DS5107
8-Port Desktop 10/100 Mbps Fast Ethernet Switch	DS8105

Media Converters

Description	Part Number
10/100 Mbps RJ45 to Multimode SC Fiber Media Converter	ET90110SC
10/100 30km Single Mode Media Converter	ET90110SM30
10/100 Mbps RJ45 to Multimode ST Fiber Media Converter	ET90110ST
Gigabit RJ45 to Mmode SC Fiber Media Converter	ET91000SC



10/100 Mbps RJ45 to Multimode ST Fiber Media Converter  
ET90110ST



10/100 30km Single Mode Media Converter  
ET90110SM30

For more products & detailed information visit [www.startech.com/networking](http://www.startech.com/networking)



Consistent performance for better connections

StarTech.com’s broad selection of cables helps add value to any project, by saving the time needed to find the right solution. Not only do our cables provide maximum quality and reliability, but the breadth of our product selection helps to ensure all customer needs are met in one place.

Backed by a lifetime warranty, all of our cables ensure top level performance for any application.



A/V Cables for your viewing pleasure...

Quality

Our cables are built from the highest quality materials to provide the best possible image.

Reliability

All of our video cables are backed by lifetime warranty, to ensure long-lasting enjoyment.

Variety

We offer cables that support virtually any video format, making it easy to source the right cable quickly.



Cable Types Available			
• USB	• Serial/Parallel		
• SATA	• Modem		
• SAS	• Telephone		
• IEEE-1394 FireWire	• SCSI Cables		
• Networking	• SCSI Terminators		
• Video/Monitor	• Data Switches		
• Audio & Game	• Switchboxes		
• StarView/KVM	• Bulk Wire & Connectors		
• Multiport Extension	• Flat Panel Monitor		
• External Power	• Structured Wiring		
• Printer	• Gender Changers & Adapters		
• Keyboard/Mouse	• Internal PC & I/O Backplates		

DVI Cables

Lengths	Type	Connectors	Part Number
6 ft, 10 ft, 15 ft, 20 ft	DVI-D Single Link	DVI-D Single Link Male, DVI-D Single Link Male	DVIDSMMxx
6 ft, 10 ft, 15 ft	DVI-D Single Link Extension	DVI-D Single Link Male, DVI-D Single Link Female	DVIDSMFxx
6 ft, 10 ft, 15 ft, 20 ft	DVI-D Dual Link	DVI-D Dual Link Male, DVI-D Dual Link Male	DVIDDMMxx
6 ft, 10 ft	DVI-D Dual Link Extension	DVI-D Dual Link Male, DVI-D Dual Link Female	DVIDDMFxx
6 ft, 10 ft, 15 ft	DVI-I Single Link	DVI-I Single Link Male, DVI-I Single Link Male	DVIISMMxx
6 ft, 10 ft, 15 ft, 20 ft	DVI-I Dual Link	DVI-I Dual Link Male, DVI-I Dual Link Male	DVIIDMMxx
6 ft, 10 ft, 15 ft	DVI-I Dual Link Extension	DVI-I Dual Link Male, DVI-I Dual Link Female	DVIIDMFxx

xx = Length

SVGA Cables

Lengths	Type	Connectors	Part Number
6 ft, 10 ft, 15 ft, 25 ft, 50 ft	SVGA Monitor	SVGA Male, SVGA Male	MXT101MMHQxx
6, 10, 15, 25, 50, 100, 150, 200 ft	SVGA Monitor Extension	SVGA Male, SVGA Female	MXT101HQxx
6, 10, 15 ft	Super Thin Profile SVGA Monitor	SVGA Male, SVGA Male	MXT101MMLPxx
6, 10, 15 ft	Super Thin Profile SVGA Monitor Extension	SVGA Male, SVGA Female	MXT101LPxx

xx = Length

HDMI Cables

Lengths	Type	Connectors	Part Number
6 ft	HDMI to Mini HDMI Digital Video	HDMI Male, Mini HDMI Male	HDMIACMM6
10 ft, 25 ft	HDMI to DVI Digital Video	HDMI Male, DVI-D Male	HDMIDVIMMxx
6, 10, 15, 20, 25, 30, 35, 40, 45, 50 ft	HDMI to HDMI Digital Video	HDMI Male, HDMI Male	HDMIMMxx

xx = Length

Fast and reliable USB and FireWire cables

Selection

Our broad selection of USB and FireWire products allow you to harness the abilities of cutting edge technology, giving you access to more functions and faster data transfers.

Quality

As with any StarTech.com product, we offer only the highest quality of USB and FireWire design and construction.

Reliability

StarTech.com USB and FireWire cables are designed and built to exceed the highest quality standards.



USB Cables

Lengths	Type	Color	Connectors	Part Number
1 ft, 6 ft, 10 ft, 15 ft	USB 2.0	Black	A Male, B Male	USB2HABxx
6 ft, 10 ft, 15 ft	USB 2.0	Transparent	A Male, B Male	USB2HABxxT
3 ft, 6 ft, 10 ft, 15 ft	USB 1.1	Beige	A Male, B Male	USBFAB_xx
3 ft, 6 ft, 10 ft, 15 ft	USB 1.1	Transparent	A Male, B Male	USBFAB_xxT
3 ft, 6 ft, 10 ft	USB2.0	Grey	A Male, Mini B Male 5 Pin	USB2HABMxx
3 ft, 6 ft, 10 ft	USB 2.0	Black	A Male, Mini B Male 4 Pin	USBFA4Sxx
6 in, 6 ft	USB 2.0 Extension	Beige	A Male, A Male	USBEXTAA_xx
6 ft	USB 1.1 Extension	Beige	A Male, A Male	USBFAA_6
15 ft	USB 1.1 Active Extension	Beige	A Male, A Male	USBFAAEXT15A

xx = Length



1 ft High Speed USB 2.0 Cable  
USB2HAB1



10 ft Transparent IEEE-1394  
FireWire Cable 6-6 Pin  
1394\_10T

FireWire Cables

Lengths	Type	Color	Connectors	Part Number
6 ft, 10 ft, 15 ft	IEEE-1394 FireWire A	Black	6 Pin, 6 Pin	1394_xx
10 ft, 15 ft	IEEE-1394 FireWire A	Transparent	6 Pin, 6 Pin	1394_xxT
6 ft, 10 ft, 15 ft	IEEE-1394 FireWire A	Black	6 Pin, 6 Pin	1394_44_xx
6 ft, 10 ft, 15 ft	IEEE-1394 FireWire A	Black	4 Pin, 6 Pin	1394_46_xx
15 ft	IEEE-1394 FireWire A	Transparent	4 Pin, 6 Pin	1394_46_15T
6 ft, 10 ft	IEEE-1394 FireWire B	Black	9 Pin, 4 Pin	1394_94_xx
6 ft, 10 ft	IEEE-1394 FireWire B	Black	9 pin, 6 Pin	1394_96_xx
6 ft, 10 ft	IEEE-1394 FireWire B	Black	9 Pin, 9 Pin	1394_99_xx

xx = Length



3 ft 24V to 1x8 Powered USB  
Cable  
PUSB18X24V03

Adapters & Gender Changers

Description	Part Number
Replacement USB to PS/2 Keyboard Adapter F/M	GC46FMKEY
Replacement PS/2 Mouse to USB Adapter	GC46MF
Replacement PS/2 to USB Keyboard Adapter M/F	GC46MFKEY
Gender Changer USB A Female to USB A Female	GCUSBAAFF
Gender Changer USB A Male to USB A Male	GCUSBAAMM
Gender Changer USB A Female to USB B Female	GCUSBABFF
Adapter USB B Male to USB A Female	GCUSBABFM
Adapter USB A Male to USB B Female	GCUSBABMF
Gender Changer USB B Male to USB B Male	GCUSBBBMM
IEEE-1394 Firewire 4-6 Adapter F/M	FIRE46FM
IEEE-1394 Firewire 4-6 Adapter M/F	FIRE46MF



Gender Changer USB A Female to  
USB A Female  
GCUSBAAFF

Powered USB Cables

Lengths	Type	Connectors	Part Number
3 ft	Powered USB	24v, 8 Pin	PUSB1X824V03
3 ft	Hosiden + USB B Powered	24v	PUSB DYB24V03
6 ft	Powered USB	24v, 4 Pin	PUSB2X424V06
10 ft	Powered USB	24v, 8 Pin	PUSB1X824V10
10 ft	Hosiden + USB B Powered	24v	PUSB DYB24V10



MUSBCARCH Mini USB Car  
Charger for Mobile Devices  
MUSBCARCH

For more products & detailed information visit [www.startech.com/cables](http://www.startech.com/cables)

For more products & detailed information visit [www.startech.com/cables](http://www.startech.com/cables)

Great selection, reliable performance

**Lasting Value**  
To ensure long-term, peak performance, StarTech.com patch cables carry a comprehensive, lifetime warranty.

**Best Selection**  
We offer a complete line of patch cables to suit virtually any project requirement.

**Durability**  
All StarTech.com patch cables are designed to exceed the highest standards, while enduring even the harshest environments.

Cat 5e Patch Cables



Molded Cat 5e Patch Cables  
M45PATCHxx

**Available lengths:**  
1 ft. 2 ft. 3 ft. 5 ft.6 ft. 7 ft.  
10 ft. 15 ft. 20 ft. 25 ft. 35 ft.  
50 ft. 75 ft. 100 ft.

Available colors:

- Red

Orange

Yellow

Blue

Purple
- Green

Gray

Black

White



Snagless Cat 5e Patch Cables  
RJ45PATCHxx

**Available lengths:**  
1 ft. 2 ft. 3 ft. 5 ft.6 ft. 7 ft.  
10 ft. 15 ft. 20 ft. 25 ft. 35 ft.  
50 ft. 75 ft. 100 ft.

Available colors:

- Red

Orange

Yellow

Blue
- Purple

Gray

Black

White



Tested 100%

Cat 6 Patch Cables



Molded Cat 6 Patch Cables  
C6PATCHxx

**Available lengths:**  
1 ft. 2 ft. 3 ft. 5 ft.6 ft. 7 ft. 8 ft.  
10 ft. 12 ft. 15 ft. 20 ft. 25 ft.  
35 ft. 50 ft. 100 ft

Cat 5e and Cat 6 cables are also available with solid and standard in 1000 ft. rolls in all colours

Available colors:

- Red

Orange

Yellow

Blue
- Green

Gray

Black

White



Snagless Cat 6 Patch Cables  
N6PATCHxx

**Available lengths:**  
3 ft. 7 ft. 10 ft. 15 ft. 25 ft. 50 ft.

Available colors:

- Black

Blue



Tested 100%  
ETL Verified



Patch Cables Made Easy!

Use our “Cables at a Glance” tool to quickly find the right patch cable for the job.  
Visit: [www.startech.com/cables](http://www.startech.com/cables)

Fiber speeds, StarTech.com quality

**Durability**  
StarTech.com fiber optic cables are designed and constructed to provide impressive performance in any environment.

**Quality**  
Our selection of Fiber Optic cables are constructed of the highest quality materials, ensuring optimum performance.

**Reliability**  
All StarTech.com Fiber cables offer a lifetime warranty, to ensure long-term dependability.

Custom lengths available!  
Call for details



Fiber Optic Cables

Lengths	Connectors	Cable Type	Fiber Size	Part Number
1m, 2m, 3m, 5m, 10m	LC-LC	Multimode Duplex	50/125	50FIBLCLCxx
1m, 2m, 3m, 5m, 10m	LC-MT	Multimode Duplex	50/125	50FIBLCMTxx
1m, 2m, 3m, 5m, 10m	LC-SC	Multimode Duplex	50/125	50FIBLCSCxx
1m, 2m, 3m, 5m, 10m	MT-MT	Multimode Duplex	50/125	50FIBMTMTxx
1m, 2m, 3m, 5m, 10m	MT-SC	Multimode Duplex	50/125	50FIBMTSCxx
1m, 2m, 3m, 5m, 10m	SC-SC	Multimode Duplex	50/125	50FIBSCSCxx
1m, 2m, 3m, 5m, 7m, 10m, 15m	LC-LC	Multimode Duplex	62.5/125	FIBLCLCxx
1m, 2m, 3m, 5m, 7m, 10m, 15m	LC-MT	Multimode Duplex	62.5/125	FIBLCMTxx
1m, 2m, 3m, 5m, 7m, 10m, 15m	LC-SC	Multimode Duplex	62.5/125	FIBLCSCxx
1m, 2m, 3m, 5m, 7m, 10m, 15m	MT-MT	Multimode Duplex	62.5/125	FIBMTMTxx
1m, 2m, 3m, 5m, 7m, 10m	MT-SC	Multimode Duplex	62.5/125	FIBMTSCxx
1m, 2m, 3m, 5m, 7m, 10m	MT-ST	Multimode Duplex	62.5/125	FIBMTSTxx
1m, 2m, 3m, 5m, 7m, 10m	SC-SC	Multimode Duplex	62.5/125	FIBSCSCxx
1m, 2m, 3m, 5m, 7m, 10m	ST-ST	Multimode Duplex	62.5/125	FIBSTSTxx
1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 30m	ST-SC	Singlemode Duplex	9/125	SMFIBSTSCxx
1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 30m	SC-SC	Singlemode Duplex	9/125	SMFIBSCSCxx
1m, 2m, 3m, 5m, 7m, 10m, 15m, 20m, 30m	ST-ST	Singlemode Duplex	9/125	SMFIBSTSTxx

xx = Length

10G Aqua Fiber Cables

Lengths	Connectors	Cable Type	Fiber Size	Part Number
1m, 2m, 5m, 10m	LC	Multimode Duplex	50/125	A50FBLCLCxx
1m, 2m, 5m, 10m	LC - SC	Multimode Duplex	50/125	A50FBLCSCxx
1m, 2m, 5m, 10m	SC	Multimode Duplex	50/125	A50FBSCSCxx
1m, 2m, 5m, 10m	ST - SC	Multimode Duplex	50/125	A50FBSCSTxx
1m, 2m, 5m, 10m	ST	Multimode Duplex	50/125	A50FBSTSTxx

xx = Length

For more products & detailed information visit [www.startech.com/cables](http://www.startech.com/cables)

Structured wiring & bulk cables

Patch Panels

Organize your LAN's twisted-pair cabling with StarTech.com patch panels. Includes different varieties of Cat 5 and Cat 6 patch panels, blank patch panels, wall mount brackets and more.



Bulk Wire

Bulk network cabling for all your custom installation needs. Includes Cat 5e and Cat 6 structural cables, patch cables, fiber optic cables and much more.



Tools & Testers

Stripping, cutting and crimping wiring tools designed specifically for computer repair and wire installations. Also includes diagnostic tools and testers.



Bulk Connectors

RJ45 Connectors  
Fiber Optic connectors  
Coaxial connectors





Quality internal cables

Rugged Construction


Built to withstand almost any environment, our cables offer the ultimate in durability.

Top Quality

High quality materials and exceptional workmanship combined for top quality cables.

Incredible Selection

Our offering of internal computer cables allows you to source all of your cable needs from one place, saving valuable time.



SATA Cables

Lengths	Style	Connectors	Part Number
18 in, 24 in, 36 in	Non-latching	SATA Male, SATA Male	SATAxx
18 in, 24 in, 36 in	Non-latching	SATA Male Right Angle, SATA Male	SATAxxRA1
18 in, 24 in, 36 in	Non-latching	SATA Male Right Angle, SATA Male Right Angle	SATARAXx
18 in	Non-latching	SATA Male Left Angle, SATA Male	SATAxxLA1
12 in,18 in, 24 in	Latching	SATA Male, SATA Male	LSATAxx
12 in,18 in, 24 in	Latching	SATA Male Right Angle, SATA Male	LSATAxxRA1
12 in,18 in, 24 in	Latching	SATA Male Right Angle, SATA Male Right Angle	LSATAxxRA2
3 in, 6 in	Shielded External eSATA	eSATA Plug, eSATA Plug	ESATAxx
36 in	Shielded SATA	SATA Male, SATA Male	SATA36S
6 ft	Shielded External eSATA to SATA	eSATA plug, SATA Male	SATA2ESATA6
-	Adapter	1 - LP4 Female, 1 - SATA Power Male	LP4SATAFM
-	Adapter	1 - SATA Power Female, 1 - LP4 Female	LP4SATAFMD

xx = Length    Retail-Ready

Internal Power Cables

Description	Part Number
6 in 24 pin ATX Power Supply to 20 pin Motherboard Adapter	ATX2024FM
6 in 20 pin ATX Power Supply to 24 pin Motherboard Adapter	ATX2024MF
8 in Power Extension Cable for 24 pin ATX 2.01 Motherboards	ATX24POWEXT
ATX to AT Motherboard Power Converter Cable	ATX2APOW
8 in ATX12V 4 Pin P4 CPU Power Extension	ATXP4EXT
8 in Power Extension Cable for ATX Motherboards	ATXPOWEXT
6 in TX3 to Large Internal Power LP4 CPU Fan Adapter Cable	CPUFANADAPT
6 in LP4 to P4 Power Adapter	LP4P4ADAP
LP4 to 6 pin PCI Express Video Card Power Adapter	LP4PCIEXADAP
6 in Power Extension Cable for AT or PS/2-Style Motherboards	PS2POWEXT
Power Y-splitter Cable (3 Large Ends)	PYO2L
LP4 to 2 SATA Internal Power Splitter Cable	PYO2LP4SATA
Power Y-splitter Cable (1 Large & 2 Small ends)	PYO2S
Power Y-splitter Cable (2 Large & 1 Small end)	PYO2SL
6 in LP4 Male to Serial ATA Power Adapter	SATAPOWADAP
6 in TX3 Fan Power Extension Cable	TX3EXT6
6 in TX3 Fan Power Splitter Cable	TX3SPLITTER


xx = Length    Retail-Ready

For more products & detailed information visit [www.startech.com/cables](http://www.startech.com/cables)

Online Cable Finder Tool

Convenient, online tools make it easy to find the right cable quickly

Visit: [www.startech.com/cables](http://www.startech.com/cables)



The StarTech.com Advantage:

- A complete range of IT hardware including hard-to-find and custom solutions
- Access to engineers who can develop custom solutions and provide post sales support
- Industry certifications including UL, CSA, TUV and ETL
- Industry leading warranties
- ISO 9001:2000 Registered
- Over 20 years experience in the IT industry

Custom Cables

You can rely on our technical expertise to help build the technology solutions you need to win more business. With over 20 years of experience providing high quality IT and AV products, we offer robust manufacturing and custom product design capabilities that can help you complete solutions while eliminating hassle and wasted time.



1. Provide us with the basic requirements of your project. Our expert technical staff will review the project quickly, provide a free consultation and cost quotation within 24 hours.

2. We can produce quantities as low as 100 pieces and as high as 100,000 pieces with rapid lead times.

StarTech.com's custom manufacturing capabilities include:

- Assembled and Injection Molded Data Cables
- Fiber Optic Cable Assemblies
- Video and Monitor Cables
- Internal Power and Data Cables
- Custom Wiring Harnesses
- Custom Labeling and Barcoding

Just a few of the organizations StarTech.com has developed custom cables for:

- Dell Inc.
- Hewlett Packard
- IBM Canada
- Lockheed Martin
- Smart Technologies Inc



Examples of custom cables developed for vertical applications

Health Care

StarTech.com custom engineered molded cables using completely shielded wire and connectors that eliminated previous interference problems.



Security

Custom cut and zip tied wiring bundles were used with the specified IDC type connectors, creating a single, compact and easily installable harness.

Point of Sale

Designed with enhanced shielding throughout the length of the cable, with the portion that would fit inside the enclosure stripped and tinned to allow for quick assembly on the customer's production line.



Custom Manufacture

StarTech.com designed and prototyped a strongly shielded USB A-B cable, that would lock perfectly into the groove in the customer's molded enclosure.



For more information visit [www.startech.com/custom](http://www.startech.com/custom)



## CONVERGEAV

### Your source for A/V and digital signage solutions



Converge A/V is a premium brand of convergence audio/visual products designed to help IT and A/V professionals complete connectivity solutions. With our extensive IT experience and background, Converge A/V by StarTech.com allows you to integrate and use your IT and A/V products together seamlessly.

Converge A/V offers signal management products that ensure virtually any source signal can be converted, extended, split, and switched to any SD or HD display.


Converge A/V products can be used in a wide variety of markets and applications including:

- Digital Signage
- Retail / POS
- Security
- Health Care
- Education
- Government


Converge A/V Featured In:



#### Signal Extension over Cat5 Solution for Digital Signage



### Digital Signage Connectivity with the ST121 Series



#### ST121 Series VGA Extenders

Supports resolutions up to 1600 x 1200 at 250ft and 1024 x 768 at 500ft. The ST121 series allows you to extend to one display or up to 32 using Cat5 cables.



**Converge A/V VGA over Cat5 UTP Extender**  
ST121UTP

- Allows up to 4 (2 local and 2 remote) monitors to be connected to a single PC
- Available with Audio ST122UTPA



**Converge A/V 4 Port VGA over Cat5 UTP Extender**  
ST1214T

- Allows you to connect up to four remote displays from one source



**Converge A/V VGA over Cat5 UTP Repeater/Extender**  
ST121EXT

- Works with the ST121UTP or ST1214T
- Deliver content to multiple points from one source
- Extends the maximum cable distance



**Converge A/V VGA over Cat5 UTP Receiver**  
ST121R

- Works with the ST1214T
- Use up to 4 receivers to connect to remote monitors from one source



**Converge A/V VGA & RS-232 Cat 5 Extender**  
ST121UTP232

- Supports resolutions up to 1600 x 1200 at distances of 500ft
- Extend VGA and RS-232 signals through one Cat5 cable and control your display remotely

#### UTPE Series Long Range VGA Extenders

The Converge A/V UTPE series is perfect for long range digital signage applications. Supports resolutions up to 1280x1024 at 950ft.



**Converge A/V 4 Port VGA over Cat5 UTP Extender**  
ST124UTPE

- Allows up to 5 monitors to be connected to a single VGA source



**Converge A/V 8 Port VGA over Cat5 UTP Extender**  
ST128UTPE

- Allows up to 8 monitors to be connected to a single PC



**Converge A/V Long Range Receiver**  
STUTPRXL

- Allows a monitor to be connected up to 950ft away from the source
- Used with ST124UTPE and ST128UTPE



**S-Video over Cat5 Extender**  
SVIDUTPEXT

- Extend s-video signals up to 200 meters



**Composite Video and Audio Cat5 Extender**  
COMPUTPEXTA

- Extend signals up to 200 meters



**S-Video and Audio over Cat5 Extender**  
SVIDUTPEXTA

- Extend video and stereo audio up to 200 meters using a Cat 5 cable



**Component Video Cat5 Extender**  
CPNTUTPEXT

- Extend signals up to 200 meters

Resolution	480i	480i	480i	1080i
Distance	600ft / 200m	450ft / 150m	600ft / 200m	600ft / 200m
Receiver Included	Yes	Yes	Yes	Yes
Receiver Requires Power	No	No	No	No
SKU with Audio	SVIDUTPEXTA	-	-	CPNTUTPEXTA



CONVERGEAV



Input / Output	ID#
VGA to HDMI	VGAHD2HDMI
VGA to VGA	VGA2TV2WAY
VGA to DVI-I	VGA2DVI

VGA Source Converters

- These converters start with a VGA source and convert to analog SD video, analog HD video, and digital HD video, depending on the model
- Backed by StarTech.com's 1-year warranty, and free, lifetime technical support
- For more information please visit our website at StarTech.com



Input / Output	ID#
DVI to VGA	DVI2VGA
DVI-I to DVI-I	DVI2DVI
-	VS310HD2HDMI

DVI and HDMI Source Converters

- Converts and scales between DVI and VGA signals, allowing for a variety of resolutions that can be input from your DVI source, based on the resolution required by your device
- On-screen Display allows you to take full control of your display and the resolutions you need in PC or HDTV mode



Input / Output	ID#
-	VIDI2VGATV
-	VIDI2HDMITV
-	VIDI2DVIDTV

Standard Video to High Definition Converters

- Automatically detects the input resolution of the signal while allowing you to customize the output resolution and refresh rate using the on-screen-display menu and front panel buttons
- Convert video signals into VGA/DVI/HDMI output for computer displays or HDTVs

A/V Rack



The cost effective solution for safely housing your A/V equipment

- 42 Space/u, 19" wide, 20" deep
- Designed to provide A/V professionals and integrators with a high-quality solution for housing audio/video equipment

Accessories

ID#	Description
CABSHELF	Standard Fixed Shelf
CABSCREWS	50 Mounting Screws
ST128HDMI	8 Port HDMI Splitter
ST128CPNTA	8 Port Component Video Splitter

CONVERGEAV



Ports	ID#
2	ST122L
4	ST124L
8	ST128L

VGA Splitters

VGA Video Splitter, available with 2, 4 or 8 ports

- Supports monitors with up to 250MHz bandwidth, providing high resolution images (1600x1200)
- Built-in video amplifier boosts the signal to allow a cable length of up to 210ft (65m)
- Uses standard monitor extensions cables, works with VGA, SVGA and Multisync monitors



Ports	ID#
2	ST122DVI
4	ST124DVI

DVI Splitters

Eye-catching video on multiple screens!

- Supports resolutions of up to 1600 x 1200 pixels @ 60 Hz
- Crystal-clear images on your DVI-enabled monitors, projectors, or plasma screens



Ports	ID#
3	VS310HDMIR
4	VS410HDMIR

HDMI Switches

Switch between multiple HDMI devices on your HDTV

- Maintains multi-channel audio and high definition video signals for excellent performance
- HDMI 1.1 and HDCP 1.1 Compliant
- Can be controlled from remote locations using a built-in RS-232 port (VS410HDMIR)



Ports	ID#
4 x 1	CPNT410IR
4 x 1	SVID210IR

Home Theater Switches

Easily switch between VGA video sources

- Compatible with component video, RCA and digital coax audio
- Use your existing remote control, with the RC Learning feature
- Supports standard and high definition (480i to 1080i) video resolutions



Ports	ID#
4	VS415RVGA
8	VS815RVGA

VGA Switches

Easily switch between 3 VGA sources on one VGA display

- Connect to your display at a maximum distance of 65 meters
- Solid construction in a metal enclosure
- Supports a maximum resolution of 2048x1536 with 450 Mhz bandwidth
- Switch between PC's by using the controls on the switcher or the included remote control

Pro VGA Splitters



Professional-grade 350 MHz splitters for the most demanding requirements

- Perfect for splitting high-resolution images (up to 2048x1536) up to 200 ft.
- Use with 2, 4 or 8 displays
- Make sure your V/V content has the maximum impact on your audience

Ports	ID#
2	ST122PRO
4	ST124PRO
8	ST128PRO


Matrix Splitters



Dual Input Matrix 250 MHz VGA Video Splitter / Distribution Amplifier

- Allows you to connect 2 source computers and split video sources to multiple monitors by selecting what to display on each monitor
- Built-in video amplifier boosts the signal to allow a cable length of up to 210 ft or 65m
- Provides high quality resolution of up to 1920 x 1440 pixels
- Works well with VGA, SVGA, XGA and Multisync monitors

Ports	ID#
2	ST222MX
4	ST224MX
8	ST228MX



# Server Management Solutions

StarTech.com's server management equipment provides the reliability needed to ensure successful results from any project. The durability and efficiency offered by our KVM switches, LCD Consoles and racks translates into an unparalleled operating experience, helping to maximize productivity and minimize costs.

Additionally, the depth of our product lines means we can provide the perfect solution for any job, with a diverse offering of features to suit any project requirement.

## Consolidated Control

Centralize operations into one locale, to save time and money.

## Ultimate Efficiency

Control multiple computers from one desktop/console.

## Reduced Downtime

Monitor computers remotely to reduce response time and avoid unnecessary downtime.

## High Quality Construction

Designed for maximum durability to ensure long-lasting, reliable operation.



### KVM Switches

Our broad selection of Starview KVM switches ensures the solutions you need are available to provide unmatched performance and reliability.



### Consoles/KVM Modules

Space saving solutions that offer maximum control of multiple computers for improved operating efficiency in mission critical situations.




### Server Racks

For true peace of mind, protect your valuable equipment with the security and durability offered by our broad range of racks, cabinets and accessories.



## Cost-effective server management solutions



## SERVER REMOTE CONTROL

# Remote Network Management

StarTech.com Digital KVM products enhance the functionality of a standard KVM switch by providing fully secure remote access to servers and devices. The Server Remote Control product line offers extraordinary value. You get the peace of mind of a standards-based solution, without the risks and expense of proprietary software.

The next time a crisis hits, StarTech.com's digital KVM switches can save you costs and downtime by handling virtually any problem remotely--using a standard Web browser interface--without having to travel to the server site.


Users and IT administrators alike will work more efficiently with greater network uptime. The Powerful "Virtual Drive Technology" found only in StarTech.com's SV1110 series offers the ability to remotely and securely upload files, patches and updates to the controlled server through a virtual USB drive. On properly equipped servers you can even remotely install an entire operating system using the built-in remote virtual drive technology.

Featured In:



(SV11101PPCI)

### How Does KVM Control Over IP Work?



### Key Benefits

- Centralize IT Administration – control servers throughout the building or around the world from one or several locations
- Complete Control – From power cycling to boot up to software installation, almost any task can be completed remotely
- Crisis Management – Minimize costly downtime by responding to server problems immediately. When the network is down, access the unit using a standard external modem
- Powerful video compression technology means server response is fast and effective even over low bandwidth connections
- Provides complete system control with BIOS-level access
- Multi-layer Enterprise security like RADIUS support, SSH support, SSL encryption and a built-in user configurable firewall ensures that access to sensitive data will not be compromised



Server Remote Control External KVM control over IP SV1115IPEXT

- Complete remote control monitoring from anywhere in the world over the internet
- External unit



Server Remote Control Internal KVM Control over IP SV11101PPCI

- Control and monitor remote servers from anywhere in the world over the Internet
- Installs into any PCI slot



8 Outlet Remote Power Switch - RS232 Interface PCM815SHNA

- Remote power switch remotely powers servers and devices on and off



Serial Remote Control Module RPORT

- Control remote serial devices such as routers, managed switches, printers, etc.



4 port KVM with Integrated Remote Control SV441HDIE

- Combines our Server Remote Control technology with a proven Enterprise class digital KVM switch



8 port KVM Switch with Integrated Server Remote Control SV841HDIE

- Combines our Server Remote Control technology with a proven 8 port Enterprise class digital KVM switch



16 port Enhanced Digital KVM Switch over IP SV1641HDIE

- Combines our Server Remote Control technology with a proven 16 port Enterprise class digital KVM switch



PS/2 + USB KVM Console Extender (UTP) 500 ft. SV565UTP

- Control a server up to 500 feet away from your office or other monitoring location



DuraView LCD Consoles

**Guaranteed Compatibility**  
StarTech.com rack consoles are guaranteed to be compatible with servers and other equipment from leading vendors, without the premium price tag and potential support concerns.

**Customized Solutions**  
We will help you design and integrate products to create a solution that meets your needs.

**Support**  
StarTech.com sets itself apart from other vendors, using a customer-focused approach to consistently deliver responsive, personalized support for customers at every stage of the buying cycle.



DuraView Professional Series

The rugged build of our Professional Series 1U Rack Consoles makes no compromises, ensuring the sturdiness needed to endure rigorous operation, and deliver maximum reliability in mission-critical situations. The Professional Series provides an integrated flat panel TFT display capable of producing crystal clear resolutions of up to 1280 x 1024, as well as a built-on keyboard and scroll-capable touchpad.

- Available in 15", 17", and 19" models
- Optional 8 or 16 port KVM switch modules let users control up to 16 computers directly, and up to 136 computers in total through eight cascaded 16-port KVM switches

Features

- Built-on hotkey buttons for our enterprise KVM modules
- 8 and 16 port KVM add-on modules
- Replaceable keyboard and mouse
- Drawer locks firmly into position when in use
- OSD function (On Screen Display) provides convenient configurability



DuraView Economy Series

Designed to balance performance and cost-effectiveness, the DuraView Economy series provides users with a single port KVM integrated module, active matrix LCD monitor, mouse touchpad and full size 106-key keyboard, allowing control of connected systems and servers at an impressive price.

- Available in 15", 17", and 19" models
- The 1708 model has an integrated PS/2 and USB 8 port KVM switches
- The 1916 model has an integrated PS/2 and USB 16 port KVM switches

Features

- Bright Active Matrix TFT Display
- Durable design
- OSD function (On Screen Display) for LCD display
- Quick, hassle free installation
- Security features, including port locking and auto scan functions
- Key lockable LCD

Broad compatibility, maximum reliability

**Conserve Space**  
Our enterprise KVM Switches are designed to save valuable desk space while allowing control of multiple computers from a centralized command point.

**Reliability**  
Built for durability and longevity, StarTech.com Enterprise KVM Switches provide a consistently reliable user experience, and are backed by warranty.

**Cost-effective**  
StarTech.com KVM switches allow you to eliminate the unnecessary expense of having to purchase duplicate peripherals.



16 Port StarView USB+PS2 KVM switch with OSD  
SV1631HD



8 Port StarView USB Console KVM switch with OSD  
SV831DUSB



4 Port StarView DVI/VGA USB KVM Switch with Audio  
SV431DDUSB

USB KVM

# of Ports	Description	Video Type	OSD	Over IP	SKU Number
4	4 Port StarView USB KVM Switch	VGA	-	-	SV431USB
4	4 Port StarView USB Console KVM Switch	VGA	Yes	-	SV431DUSB
16	16 Port StarView USB Console KVM Switch	VGA	Yes	-	SV1631DUSB

OSD = On Screen Display

USB + PS/2 KVM

# of Ports	Description	Video Type	OSD	Over IP	SKU Number
4	4 Port Multi-platform StarView KVM Switch	VGA	-	-	SV431H
4	4 Port Enhanced Digital KVM Switch Over IP	VGA	Yes	Yes	SV441HDIE
8	8 Port StarView USB+PS2 KVM Switch	VGA	Yes	-	SV831HD
8	8 Port StarView USB Console KVM Switch	VGA	Yes	-	SV831DUSB
8	8 port Enhanced Digital KVM Switch over IP	VGA	Yes	Yes	SV841HDIE
16	16 Port StarView USB+PS2 KVM Switch	VGA	Yes	-	SV1631HD
16	16 port Enhanced Digital KVM Switch over IP	VGA	Yes	Yes	SV1641HDIE

PS/2 KVM

# of Ports	Description	Video Type	OSD	Over IP	SKU Number
4	4 Port StarView KVM Switch	VGA	-	-	SV431
4	4 Port StarView KVM Switch with OSD	VGA	Yes	-	SV431D
4	4 Port StarView KVM Switch-Dual Display	VGA	-	-	SV421DD
4	4 Port StarView DVI KVM Switch	DVI	-	-	SV421DVI
4	4 Port StarView DVI KVM Switch with Dual Display	DVI	-	-	SV421DVIDD
8	8 Port 1U StarView KVM Switch	VGA	-	-	SV831
8	2 Console Shared Access 8 Port Starview KVM Switch	VGA	Yes	-	SV832DS
16	2 Console Shared Access 16 Port Starview KVM Switch	VGA	Yes	-	SV1632DS

DuraView LCD Rack/Cabinet Consoles

Display Size	Interface	Rackmount	Features	SKU Number
15	PS/2	Yes	TFT Display, Cables included	RACKCONS1501
17	PS/2	Yes	TFT Display, Cables included	RACKCONS1701
19	PS/2	Yes	TFT Display, Cables included	RACKCONS1901
17	PS/2 + USB	Yes	TFT Display, 8 Port KVM, Cables included	RACKCONS1708
19	PS/2 + USB	Yes	TFT Display, 16 Port KVM, Cables included	RACKCONS1916
15	PS/2 + USB	Yes	TFT Display, 8 Port Cables included	CABCONS8
15	PS/2 + USB	Yes	TFT Display, 16 Port Cables included	CABCONS16
15	PS/2 + USB	Yes	TFT Display, Cables included	1UCABCONS
17	PS/2 + USB	Yes	TFT Display, Cables included	1UCABCONS17
19	PS/2 + USB	Yes	TFT Display, Cables included	1UCABCONS19

DuraView KVM Modules - Adds KVM Switching capabilities to DuraView

# of Ports	Interface	KVM over IP	On Screen Display	Rackmount	Part Number
1 x 8	USB + PS/2	No	Yes	Yes	CAB831HD
2 x 8	PS/2	No	Yes	Yes	CAB832DS
1 x 16	USB + PS/2	No	Yes	Yes	CAB1631HD
1 x 16	USB + PS/2	Yes	Yes	Yes	CAB1641HDI



1U LCD Rack / Cabinet Console with 17 in. TFT Screen  
1UCABCONS17



16 Port KVM Switch/Server Remote Control Module for 1UCABCONS Command Console  
CAB1641HDI

Reduce Cable Clutter and Extend Your Range

StarTech.com's CAT5 KVM switches let you connect CAT5 computers using only one USB keyboard, mouse and monitor. Using CAT5 cable to link the computers reduces cable clutter and extends the reach up to 130 feet.

The convenient pushbutton and hot-key commands allow for quick, reliable switching between your systems. Manual and auto scan modes are supported. Our slim design needs only 1U in your cabinet and uses rear cable connections for maximum space efficiency. Multiple units can be cascaded to support up to 512 computers.

Add the StarTech.com server interface modules for USB and PS/2 to allow you to connect CAT5 cables to USB and PS/2 server ports.



StarView 16 Port CAT5 UTP KVM Switch  
SV1631DUTP



StarView 8 Port CAT5 UTP KVM Switch  
SV831DUTP



USB CAT5 Dongle for single console switches  
SV5USBS



16 port Enhanced Digital KVM Switch over IP  
SV1641HDIE

Make the most of valuable desk space

Compact

StarTech.com Desktop KVM Switches are built to take up minimal desk space, while providing impressive functionality.

Reliable

Our Desktop KVM Switches can help eliminate unnecessary downtime, by providing a consistently reliable operating experience.

Complete Solutions

All Desktop KVM Switches are designed for easy installation and include the necessary cabling to help expedite deployment & configuration.



2 Port Compact DVI KVM Switch  
SV221KDVI



2 Port StarView DVI KVM Switch with Dual Display  
SV221DVIDD



4 Port StarView Tower Style KVM Switch  
SV411KT



PS/2 Ultra-Thin 3-in-1 KVM Cable  
PS23N1THINxx

DVI KVM Switches

# of Ports	Interface	Cables	Audio	SKU Number
2	PS/2	-	-	SV221DVI
4	USB	-	Yes	SV231UADVI
4	USB	-	Yes	SV431UADVI
2	USB	-	Yes	SV211KDVI

Dual Display Switches

# of Ports	Interface	Video Type	Audio	SKU Number
2	PS/2	DVI	-	SV221DD
2	PS/2	DVI	-	SV221DVIDD
2	USB	DVI/VGA	Yes	SV231DVIDDU
4	USB	DVI/VGA	Yes	SV431DVIDDU
2	USB	DVI/VGA	Yes	SV231DDUSB
4	USB	DVI/VGA	Yes	SV431DDUSB

Desktop KVM Switches

# of Ports	Interface	Cables	Audio	SKU Number
2	PS/2	Two 3-in-1 tangle free cables	-	SV211K
2	PS/2	Two 3-in-1 tangle free cables	Yes	SV211KA
2	PS/2	Two 3-in-1 tangle free cables	-	SV211KT
2	USB	Two 2-in-1 tangle free cables / Two audio cables	Yes	SV211KUSB
2	PS/2	Built-on-cables	-	SV221MICRO
2	PS/2 + Serial	-	-	SV231
2	USB	Two 2-in-1 tangle free cables	-	SV231USB
2	USB	-	Yes	SV231USBA
2	PS/2	-	-	SV221DVI
2	USB	-	Yes	SV231UADVI
4	PS/2	Four 3-in-1 tangle free cables	-	SV411K
4	PS/2	Four 3-in-1 tangle free cables	Yes	SV411KA
4	PS/2	Four 3-in-1 tangle free cables	-	SV411KT
4	USB	-	Yes	SV431USBA
4	USB	-	Yes	SV431UADVI
4	USB	Four 2-in-1 tangle free cables / Four audio cables	Yes	SV411KUSB
4	USB	-	Yes	SV431USBAE

Retail-Ready

KVM Cables

Description	Lengths available	SKU Number
PS/2 Ultra-thin 3-in-1 KVM Cable	4, 6, 10, 15, 25, 35, 50	PS23N1THINxx
PS/2-Style 3-in-1 KVM Switch Cable	6, 10, 15, 25, 35, 50	SVPS23N1_xx
USB+VGA 2-in-1 KVM Switch Cable	6, 10, 15	SVUSB2N1_xx
4-in-1 USB, DVI, Audio, and Microphone KVM Switch Cable	6, 10, 15	USBBDVI4N1Axx
Ultra-Thin PS/2 3-in-1 KVM Cable	6, 10, 15, 25, 35, 50	SVECONxx
Ultra-Thin USB 2-in-1 KVM Cable	6, 10, 15	SVECONUSxx
USB, VGA, Audio, and Microphone KVM Switch Cable	6,10	USBVGA4N1Axx

xx = length

Dependable Server Racks

- Form factors to suit any application or environment.
- Choice of superior passive or active cooling designed to keep your equipment cool based on your application
- Lockable side panels and doors increase security
- Casters and cable management are included on full-size models
- Flat pack versions available to ship unassembled for easy handling and staging
- Lifetime warranties give you peace of mind



DuraRak Open Rack / Telco

- Most cost-effective rack for situations where security is not a strict requirement
- Open rack design optimizes airflow through and around installed equipment
- Lowest price – this no frills DuraRak design ships unassembled to minimize manufacturing and transportation costs
- Available in 4 post and 2 post (“telco”) versions



Part #	RK4242BK	RK4236BK	7236CABINET	4POSTRACKBK	2POSTRACK	4POSTRACK25	RK2236BKF	2636CABINET
Size	42U x 42"	42U x 36"	42U x 36"	42U x 36"	42U	25U x 36"	22U x 36"	15U x 36"
Style	Enclosed	Enclosed	Professional	4 post open	2 post open	4 post open	Enclosed	Professional
Color	Black	Black	Black	Black	Black	Black	Black	Black
	*Available without side #Rk4242BKNS		*Available without side #Rk4236BKNS				*Comes in flat pack for easy shipping	

DuraRak Wallmount Cabinet

- Solid construction in an easy-to-handle package
- Perfect for rapid deployment to locations where a pre-built cabinet is difficult to install



Part #	RK1219WALL	CAB1019WALL	RK1219WALLH
Size	12U x 19"	10U x 19"	12U x 19"
Style	Enclosed	Enclosed	Enclosed
Color	Beige	Beige	Beige
	*Comes with a hinged door for easy access		

DuraRak Accessories

- Versatile rack/cabinet accessories for use with your StarTech.com cabinets



Part #	RK42SLF	RK36SLF	RK42SLFS	RK36SLFS	SLIDESHELF
Lenght	33.86"	25.59"	33.86"	25.59"	22.01"
Height	1.85"	1.89"	1.85"	1.89"	-
Color	Black	Black	Black	Black	Black





### New! Online Chat

Receive live support  
through our online chat!  
[www.startech.com](http://www.startech.com)

# [www.startech.com](http://www.startech.com)

Complete product information and exclusive  
resources online whenever you need it

### Loaded with Features

Tools and guides help you find  
the products you need

Downloads such as drivers,  
catalogs and handouts

Earn a diploma at StarTech  
University

### The Most Product Information Period

Product photo galleries show  
you exactly what you're getting

Detailed technical specifications  
for every product



Applications and solutions

### Availability Made Easy

Direct hotlinks to your  
preferred distributor

Secure online ordering  
provides peace of mind

Quick buy tools makes  
ordering simple



2007 Standard of Excellence  
Computer Hardware